

Name: _____
Date: _____
Track: _____


Track Conditions

Size: Open Med. Tight
 Traction: High Med. Low
 Surface: Smooth Med. Bumpy

Result

Race Time / Lap: _____
 Best Lap (1Lap): _____


Front Suspension




Rebound Stop: _____

Tension Rod: E2107A(Long)
 E2107B(Short)

Upper Arm Position:




Ride Height: _____
 Toe Angle: _____
 Kingpin Ball Spacer: _____
 Wheel Hub: _____
 Anti Roll Bar: _____
 Upper Arm Spacer: _____




Lower Arm Spacer: _____

Lower Arm Position (Kick Up):




Front Shocks




Piston: _____
 Oil: _____
 Spring: _____
 Spring Adj: _____

Shock Position:




Pivot Ball Position: Front Rear

Steering Ackerman




↑Front

Rear Suspension




Rebound Stop: _____


Upper Arm Position:



Lower Arm Position (Anti-Squat):




Ride Height: _____
 Camber Angle: _____
 Wheel Hub: _____
 Anti Roll Bar: _____
 Lower Arm Spacer: _____




Upright Spacer: _____
 Upright: E2106-B
 E2118(Aluminum)

Lower Arm Position (Toe Angle):




Rear Shocks



Piston: _____
 Oil: _____
 Spring: _____
 Spring Adj: _____

Shock Position:



Pivot Ball Position: Front Rear

Power Train

Motor: _____
 ESC: _____
 Battery: _____

Diff. Oil

Front: _____ O-Ring: _____ pcs.
 Center: _____ pcs.
 Rear: _____ pcs.

Tires

| | Front | Rear |
|-----------|-------|-------|
| Type: | _____ | _____ |
| Compound: | _____ | _____ |
| Inserts: | _____ | _____ |
| Wheel: | _____ | _____ |


Gearing

Pinion Gear: _____ T
 Spur Gear: 44T(E0255) 46T(E0256)

Body/Wing

Body: _____
 Wing: _____

Wing Position:



Comments

.....

