


Name: _____
Date: _____
Track: _____

Track conditions

Size: Open Med. Tight
 Traction: High Med. Low
 Surface: Smooth Med. Bumpy

Front suspension



Track width _____ mm
 Ride height _____ mm
 Camber angle _____ °
 Upper arm spacer _____ mm
 Toe angle _____ °
 Rebound stop _____ mm
 Bump stop None Use
 Upper arm position _____ mm
 Anti-roll bar T0138-B T0138
 Upright T0138-B T0138
 Upper arm position _____ mm


Front shock

Piston _____
 Oil # _____
 Spring _____
 Sock position


Front Diff.

One way
 Gear diff. Oil # _____
 Rigid

Steering ackerman



Rear suspension



Track width _____ mm
 Ride height _____ mm
 Camber angle _____ °
 Toe angle _____ °
 Rebound stop _____ mm
 Bump stop None Use
 Lower arm position _____ mm
 Upright spacer _____ mm
 Anti-roll bar Wire Adjustable (T0162) ϕ _____ mm
 Upright spacer T0144 T0161

Rear Shock

Piston _____
 Oil # _____
 Spring _____
 Shock position

Rear Diff.

Oil # _____

Engine Type _____
 Gasket _____ mm Muffler _____
 Plug _____ Fuel _____

Clutch

Clutch shoe Black Gray Yellow
 Centrifugal shoe _____
 Spring _____
 Clutch bell clearance _____ mm
 Spring adj. Nut position _____ mm

Tire **<Front>** Type _____ Dia.(start) L / R Dia.(finish) L / R
<Rear> Type _____ Dia.(start) L / R Dia.(finish) L / R

Brake pad

Black Other

Body Type _____
 Wing _____

Drive ratio

Gear ratio Side pulley
 1st. / 24T
 2nd. / 25T

Result
 Race time / Lap _____
 Best lap (1Lap) _____

Comments:

